

REPORT DOCUMENTATION PAGE

Form Approved
OMB NO. 0704-0188

Public Reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave Blank)

2. REPORT DATE

Sept. 13, 1999

3. REPORT TYPE AND DATES COVERED

Final Report 1991-1996

4. TITLE AND SUBTITLE

Magnetic, Electronic, and Thermal Properties
of Magnetic Multilayers

5. FUNDING NUMBERS

DAAL03-91-G-0299

6. AUTHOR(S)

R. E. Camley

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

University of Colorado at Colorado Springs
P.O. Box 7150
Colorado Springs, CO 80933-7150

8. PERFORMING ORGANIZATION
REPORT NUMBER

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

U. S. Army Research Office
P.O. Box 12211
Research Triangle Park, NC 27709-2211

10. SPONSORING / MONITORING
AGENCY REPORT NUMBER

ARO 28684.19-PH

11. SUPPLEMENTARY NOTES

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.

12 a. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

12 b. DISTRIBUTION CODE

13. ABSTRACT (Maximum 200 words)

We report on research done on magnetic multilayers. We studied a variety of fundamental problems including:

- 1) Phase transitions -- Here we investigated how two different magnetic materials layered together could result in a new material with unique thermal and magnetic properties.
- 2) Here we studied the effect of a mixing region in the Giant Magnetoresistance Effect (GMR). We showed that the theory could describe experimental results well.
- 3) We also studied the spin wave spectrum of magnetic multilayers and saw how the spin waves could be used to characterize the exchange coupling between different materials.

Possible applications include the use of high frequency spin waves in signal processing at the 10-30 GHz range

14. SUBJECT TERMS

15. NUMBER OF PAGES

/0

16. PRICE CODE

17. SECURITY CLASSIFICATION
OR REPORT
UNCLASSIFIED

18. SECURITY CLASSIFICATION
ON THIS PAGE
UNCLASSIFIED

19. SECURITY CLASSIFICATION
OF ABSTRACT
UNCLASSIFIED

20. LIMITATION OF ABSTRACT

UL

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

DTIC QUALITY INSPECTED 4

19991102 153

Statement of the Problems Studied

This project involved a general theoretical study of the magnetic, electronic and thermal properties of magnetic multilayers. The major areas of investigation were:

- 1) Thermal properties of magnetic multilayers -- phase transitions
- 2) Electronic properties of multilayers -- giant magnetoresistance
- 3) Magnetic properties of multilayers -- spin waves and electromagnetic response

Below we discuss each of the three areas in more detail.

Thermal properties of magnetic multilayers -- phase transitions

A normal material has a small number of surface atoms compared to the number of interior atoms. As a result, normal materials do not show significant surface effects. In contrast multilayer systems can be built where the number of surface or interface atoms is about the same as the number of interior atoms. This means that these materials can have very new and different properties from those found in nature. One fundamental question studied was in regard to the nature of the magnetic/nonmagnetic phase transition that occurs as the temperature is increased, i.e. if two different materials - with two different transition temperatures - are used in a layered structure, what is the transition temperature of the resulting material. This has important practical applications as well as being of interest theoretically. For example some materials which are of interest magnetically have transition temperatures at temperatures below room temperature. Thus if such a material could be thermally stabilized by coupling to a high temperature material it might be made useful.

2) Electronic Properties of Magnetic Superlattices -- Giant Magnetoresistance

The giant magnetoresistance (GMR) effect was discovered in 1989. This effect occurs in magnetic multilayers such as Fe/Cr or Co/Cu. In these structures there can be a large change in electrical resistivity as an external magnetic field is turned on. We note that this effect is now being explored for reading heads in hard disk systems and is likely to improve the density of stored data substantially.

We studied a number of important aspects of this effect. One key issue in GMR is the importance of scattering of electrons at interfaces. Previous calculations had been done under with assumptions of perfect interfaces. In reality, the interface is generally a region where both

materials are mixed together. We looked at the impact of this mixing region on the giant magnetoresistance.

A second question of significance was addressed in regard to the electronic properties. Much of the earlier work on magnetic superlattices where exchange interactions were treated simply as parameters. However it is important to determine the relationship between the true electronic structure of the multilayer and the resulting magnetic order. This is clearly an immense, yet important task. As an initial step in this direction we explored a model system, one dimensional Hubbard chains, through mean field theory and RPA.

3) Magnetic Properties of Multilayers -- Spin Waves

In recent years a lot of effort has been put into studying spin wave modes in magnetic multilayers. Of particular interest have been systems where ferromagnetic films couple antiferromagnetically to other ferromagnetic films through spacer layers. There are three key reasons for examining magnetic excitations in these systems:

- 1) Some long wavelength spin wave modes in these structures exist at double the frequency of the equivalent spin wave modes in ferromagnetic films. As a result these structures offer possibilities for signal processing at higher frequencies.
- 2) The magnetic spin configuration of these structures can be significantly changed by the application of modest external fields. A consequence of this is that the spin wave frequencies may also be varied over a wide range.
- 3) Systems with antiferromagnetically coupled ferromagnetic films (Fe/Cr/Fe) generally show the giant magnetoresistance effect. Therefore methods to probe the behavior of these systems are of interest in order to better understand (and use!) the GMR effect.

Summary of Most Important Results

1) Phase Transitions in Magnetic Superlattices

As discussed above, a basic question in the physics of superlattices is the following. One has a sequence of alternating layers of material, A. and B. If A and B are very thin layers, one has synthesized a new material. If each is, say, a ferromagnet, then there will be a single magnetic phase transition, at a temperature controlled by the magnetic couplings in A, those in B, and those at the interfaces. In the case where A and B are quite thick, there will be two orderings, one near the bulk ordering temperature of A, and one near that of B. In this case each film behaves like a bulk material, perturbed only weakly by interactions with neighboring films. We outlined, in theory, the nature of the response of superlattices in each regime, and the crossover between the two. We did this using the (mean-field) Landau-Ginzburg theory, and explored this question by calculating the temperature variation of the order parameter, along with the magnetic susceptibility.

We showed how the experimental results in antiferromagnetic superlattices ($\text{CoF}_2/\text{FeF}_2$) could be understood in terms of interface exchange coupling and film thickness. The key idea is that the coupling at the interfaces allows the material with the higher transition temperature to stabilize the material with the lower transition temperature. Since the stabilization only extends a few atomic layers away from the interface, this produces a significant effect for thin films, but only a small change for thicker films.

2) Electronic Structure and Giant Magnetoresistance

The origin of the giant magnetoresistance effect (GMR) is due to the spin dependent scattering of electrons, i.e. spin up electrons have a different mean free path compared to spin down electrons. Much of this scattering occurs at the interfaces between different materials. As a result our calculation of the GMR effect for systems with a "mixing layer" between the different materials is very important in order to make good contact with experiment. Our calculations were, in fact, able to give a very good description of how the giant magnetoresistance effect depended on the geometry of the layered structure, i.e. the dependence on the number of layers, the dependence on the materials and the dependence on the thicknesses of the different layers. These kinds of results are very important in order to use the GMR effect in an industrial setting.

As discussed above, we also investigated a model which connects the underlying electronic structure of the magnetic material to the parameters needed by more macroscopic descriptions of the magnetic system. With this model we found: 1) It requires more than 20 atomic layers for the

response of the layered structure to approximate the response of a collection of bulk-like films; 2) The onset of magnetic order produces a clear signature in the wavevector dependent susceptibility of the superlattice and 3) Modest changes (around 30%) in the strength of the electron-electron interaction results in significant changes in the magnetic order. Thus a major conclusion is that multilayer structures can be expected to display a rich magnetic behavior which is quite distinct from the character of any of the constituent materials.

3) Spin Waves

The theoretical calculation of spin wave modes in multilayers with complex spin configurations is quite challenging. In the past a number of approximate methods have been developed. Most promising of these is the effective medium method developed at UC Irvine and extended and applied to experimental results by the group at UCCS. A comparison of the theoretical results to Brillouin light scattering data for Co/Ru multilayers showed that effective medium theory was quite good. In particular, we examined the spin wave modes for a Co/Ru multilayer system which shows large antiferromagnetic coupling between the Co layers through the Ru films and compared theoretical and experimental results. This work was done in collaboration with a group in the RWTH in Aachen, Germany. A number of important results emerged:

- 1) Brillouin scattering could be used as a nondestructive test of the interlayer exchange coupling. We were easily able to observe the oscillations in exchange coupling between the Co films as a function of the Ru spacer thickness. We were further able to obtain good values for the strength of the exchange coupling.
- 2) The behavior of the spin wave modes predicted by the effective medium theory was verified experimentally. In particular, the system now has a surface mode which extends over a much larger frequency range. This might help in coupling these spin waves to lower frequency acoustic waves and thus make new devices possible.

This work also shows the strength of the collaboration between Colorado Springs and Irvine. The initial theoretical work on the effective medium theory was done at Irvine. The extension of the theoretical work to include anisotropy (necessary in the real materials) and the direct comparison to the experimental work was done by the Colorado Springs group together with the group in Aachen.

Despite this initial success of effective medium theory, it is fundamental to know where this theory breaks down and what features, which are not predicted or described by effective medium theory, can be expected in real systems. Furthermore the effective medium theory treats exchange and dipolar interactions only approximately and is not able to properly discuss the more complex structures found in finite multilayers. We therefore obtained a complete treatment for spin waves in arbitrarily canted structures which calculates both exchange and dipolar contributions exactly.

We found that the effective medium approximation was reasonable only for long-wavelength modes in a **uniformly canted** multilayer. For non-uniform canting (the normal situation) the effective medium theory breaks down and even the long wavelength modes are not properly described. Our work in this area was extended to double-layer systems and compared to recent experimental results from Carl Patton's group. We found that the complete theory could produce an excellent description of all the spin wave modes (and magnetically induced phase transitions) in the double layer systems.

Papers Published

- 1) "Light Scattering from Phonons and Spin Waves on Surfaces" F. Nizzoli and D. L. Mills, Chapter 7 of Nonlinear Surface Electromagnetic Phenomena, ed. by H. Ponath and G. I. Stegeman (Elsevier Science Publishers, Amsterdam, 1991)
- 2) "Thermodynamics of Thin Ferromagnetic Films in the Presence of Anisotropy and Dipolar Coupling" R. P. Erickson and D. L. Mills, *Physical Review B* **44** 11825 (1991)
- 3) "Theory of Giant Magnetoresistance Effects in Fe/Cr Multilayers: Spin Dependent Scattering from Impurities" B. L. Johnson and R. E. Camley, *Physical Review B* **44**, 9997 (1991)
- 4) "Surface Polaritons in Antiferromagnetic Superlattices with Ordering Perpendicular to the Surface" R. E. Camley, M. G. Cottam, and D. R. Tilley *Solid State Communications* **81** 571 (1992)
- 5) "Phase Transitions in Antiferromagnetic Superlattices" A. S. Carriço and R. E. Camley, *Physical Review B - Rapid Communications* *Physical Review B* **45**, 13117 (1992)
- 6) "Size and Interface Effects in Phase Transitions of Antiferromagnetic Superlattices" A.S. Carriço and R. E. Camley, *Solid State Communications* **82**, 161 (1992)
- 7) "Finite Size Effects on Spin Configurations in Antiferromagnetically Coupled Multilayers" F. C. Nörtemann, R. L. Stamps, A. S. Carriço, and R. E. Camley *Physical Review B* **46** 10847 (1992)
- 8) "Onset of Long Range Order in Superlattices: Mean Field Theory" R. W. Wang and D. L. Mills, *Physical Review B* **46** 11681 (1992)
- 9) "Reflection of Spin Waves by Atomic Steps" R. L. Stamps, R. E. Camley, B. Hillebrands, and G. Güntherodt *Physical Review B* **46** 10836 (1992)
- 10) "Oscillatory Interlayer Exchange Coupling of Co/Ru Multilayers Investigated by Brillouin Light Scattering" J. Fassbender, F. Nörtemann, R. L. Stamps, R. E. Camley, B. Hillebrands, G. Güntherodt and S. S. P. Parkin *Physical Review B* **46** 5810 (1992)
- 11) "Magnetostatic Modes and Polaritons in Antiferromagnetic-NonMagnetic Superlattices" M. C. Oliveros, N. S. Almeida, D. R. Tilley, J. Thomas and R. E. Camley *J. Phys. Condensed Matter* **4**, 8497 (1992)
- 12) "Magnetic Instabilities in Ultrathin Ferromagnetic Films" R. P. Erickson and D. L. Mills *Physical Review B* **46** 861 (1992)
- 13) "Magnetic Multilayers: Spin Configurations, Excitations and Giant Magnetoresistance" R. E. Camley and R. L. Stamps *Journal of Physics: Condensed Matter* **5**, 3727 (1993)

This was an invited review article, 60 journal pages in length.

- 14) "Microscopic Calculation of Spin Waves in Antiferromagnetically Coupled Multilayers: Nonreciprocity, and Finite Size Effects"
F. C. Nörtemann, R. L. Stamps, and R. E. Camley, *Physical Review B* **47** 11910 (1993)
- 15) "Oscillatory Interlayer Exchange Coupling of Co/Ru and permalloy/Ru Multilayers Investigated by Brillouin Light Scattering"
J. Fassbender, F. Nörtemann, R. L. Stamps, R. E. Camley, B. Hillebrands, G. Güntherodt and S. S. P. Parkin, *Journal of Magnetism and Magnetic Materials*, **121**, 270 (1993)
- 16) "Spin Wave Propagation and Brillouin Light Scattering on Antiferromagnetically Coupled Bilayers"
R. L. Stamps and R. E. Camley, *Proceedings of the Spring 1993 MRS Vol 313 Magnetic Ultrathin Films: Multilayers and Surfaces/Interfaces and Characterization*
- 17) "Spin Configurations and the Dynamic Response of Antiferromagnetically Coupled Systems"
F. C. Nörtemann, R. L. Stamps, and R. E. Camley *Proceedings of the Spring 1993 MRS Vol 313 Magnetic Ultrathin Films: Multilayers and Surfaces/Interfaces and Characterization*
- 18) "Dynamic Susceptibilities for Magnetic Layered Structures"
R. L. Stamps, R. E. Camley, F. C. Nörtemann, and D. R. Tilley
Physical Review B **48**, 15740 (1993)
- 19) "Spin Wave Propagation on Imperfect Ultra-Thin Ferromagnetic Films"
R. L. Stamps, R. E. Camley, B. Hillebrands, and G. Güntherodt
Phys. Rev. B **47**, 5072 (1993)
- 20) "Effective Medium Theory for Finite Magnetic Multilayers: Effect of Anisotropy on Dipolar Modes"
F. Nörtemann, R. L. Stamps, R. E. Camley, B. Hillebrands and G. Güntherodt
Physical Review B, **47**, 3225 (1993)
- 21) "Magnetic Structure of Gd/Fe Multilayers
C. Dufour, Ph. Bauer, M. Sajieddine, K. Cherifi, G. Marchal, Ph. Mangin and R. E. Camley
Journal of Magnetism and Magnetic Materials, **121**, 300 (1993)
- 22) "Spin Wave Interactions in the Two Dimensional Easy Axis Heisenberg Ferromagnet"
R.W. Wang and D. L. Mills, *Phys. Rev. B* **48**, 3792 (1993)
- 23) "Electronic Structure and Electronic Response of a Model Magnetic Superlattice"
J. T. Unger and D. L. Mills, *Phys. Rev. B* **47**, 11945 (1993)

- 24) "Experimental and Theoretical Spin Configurations in Fe/Gd multilayers"
M. Sajieddine, Ph. Bauer, K. Cherifi, C. Dufour, G. Marchal and R. E. Camley
Physical Review B 49, 8815 (1994)
- 25) "Surface Spin Flop Transition in Fe/Cr(211) Superlattices; Experiment and Theory", R. W. Wang, D. L. Mills, Eric E. Fullerton, J. E. Mattson and S. D. Bader, Physical Review Letters **72**, 920(1994).
- 26) "Brillouin Light Scattering on Fe/Cr/Fe Thin Film Sandwiches"
P. Kabos, C. E. Patton, M. O. Dima, D. B. Church, R. L. Stamps and R. E. Camley
Journal of Applied Physics, 75, 3553 (1994)
- 27) "Thermodynamic Properties of Ultrathin Ferromagnetic Films", in Ultrathin Magnetic Structures, D. L. Mills Vol. 1, edited by B Heinrich and A. Bland. (Springer Verlag, Heidelberg, 1994). -- Invited review article
- 28) "Magnetic Multilayers"
R. E. Camley and R. L. Stamps
Physica A 207, 396 (1994) (an invited review article)
- 29) "Phase Diagram of Thin Antiferromagnetic Films in Strong Magnetic Fields"
A. S. Carriço, R. E. Camley, and R. L. Stamps, Physical Review B 50, 13,453 (1994)
- 30) "Magnetic Properties of Finite Antiferromagnetic Superlattices; Statics, Dynamics, and the Surface Spin Flop Phase", R W. Wang and D. L. Mills, Phys. Rev. **B50**, 3931 (1994).
- 31) "Spin configurations and spin-wave excitations in exchange-coupled bilayers"
R. L. Stamps Phys. Rev. B **49** 339 (1994)

Participating Scientific Personnel

At University of Colorado, Colorado Springs

R. E. Camley	--	Principal Investigator
R. L. Stamps	--	Post-Doctoral Visitor
A. S. Carrico	--	Visiting Professor
J. Thomas	--	MS earned during project
B. L. Johnson	--	Ph.D. obtained (in part) under this project

At University of California, Irvine

D. L. Mills	--	Principal Investigator
R. W. Wang	--	Ph.D. earned Sept 94
N. Almeida	--	Visiting Professor

Inventions Reported

none